



US0D1099710S

(12) **United States Design Patent**
Lignos et al.

(10) **Patent No.:** **US D1,099,710 S**

(45) **Date of Patent:** **** Oct. 28, 2025**

(54) **DUAL CHAMBER PACKAGE**

(71) Applicants: **Aikaterini Lignos**, Folsom, CA (US);
Nikoletta Davis, Folsom, CA (US)

(72) Inventors: **Aikaterini Lignos**, Folsom, CA (US);
Nikoletta Davis, Folsom, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/754,598**

(22) Filed: **Oct. 13, 2020**

(51) **LOC (15) Cl.** **09-01**

(52) **U.S. Cl.**

USPC **D9/743; D9/741; D9/745**

(58) **Field of Classification Search**

USPC D9/420, 425, 431, 502, 504, 519, 521,
D9/522, 548, 557, 658, 761, 767, 768,
D9/434, 499, 500, 503, 516, 520, 523,
D9/524, 529, 530, 537, 539, 549, 558,
D9/560, 562, 574, 575, 716, 719, 730,
D9/737, 738, 739, 421, 741, 743, 744,
D9/745, 746; D24/117, 121; D28/76,
D28/85, 88, 91, 91.1, 86; D7/589, 629,
D7/300, 602, 605, 608, 612, 703, 596,
D7/614, 701

CPC B65D 1/0223; B65D 1/02; B65D 1/04;
B65D 81/3288; B65D 21/0209

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

566,067 A * 8/1896 Duck B65D 1/04
D7/509
1,013,775 A * 1/1912 Hoffman A47G 29/06
232/1 R
1,351,602 A * 8/1920 Anderson B65D 47/265
D7/596
D288,527 S * 3/1987 Maguire D9/503

D303,408 S * 9/1989 Wallace D21/550
D317,405 S * 6/1991 Yasika D9/757
D589,752 S * 4/2009 Fetting D7/510

(Continued)

Primary Examiner — Richard Edgar

Assistant Examiner — Amanda Kay Birdwell

(74) *Attorney, Agent, or Firm* — Craig A. Simmermon


(57) **CLAIM**

The ornamental design for a dual chamber package, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a dual chamber package shown in a first configuration, with the dual chambers “capped” and attached to one another;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right-side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a vertical cross-section view thereof, taken along and in the direction of line 8-8 in FIG. 4;
FIG. 9 is a top perspective view of the dual chamber package of FIG. 1 shown in a second configuration, with the dual chambers “uncapped” and detached from one another, shown with environmental subject matter;
FIG. 10 is a top perspective view of the dual chamber package of FIG. 1 shown in a third configuration, with the dual chambers “capped” and detached from one another;
FIG. 11 is a front elevation view thereof;
FIG. 12 is a rear elevation view thereof;
FIG. 13 is a right-side elevation view thereof;
FIG. 14 is a left-side elevation view thereof;
FIG. 15 is a top plan view thereof; and,
FIG. 16 is a bottom plan view thereof.
Broken lines in the drawings represent environmental subject matter, and form no part of the claim.

1 Claim, 15 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D999,887	S	*	9/2023	Hwu		D23/284
2015/0272360	A1	*	10/2015	Knowlton		A61J 9/008
						206/217

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 9




FIG. 10





FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16